

DAILY ASPIRATOR CLEANER & DISINFECTANT CONCENTRATE

Page: 1

Compilation date: 06/11/17

Revision date: 03/05/22

Revision No: 6

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: DAILY ASPIRATOR CLEANER & DISINFECTANT CONCENTRATE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC8: Biocidal products (e.g. Disinfectants, pest control).

1.3. Details of the supplier of the safety data sheet

Company name: Precision Dental Products Care House Chester Road Borehamwood Hertfordshire WD6 1LP

Tel: +44 208 2360606

Fax: +44 208 2360070

Email: sales@precisiondental.co.uk

1.4. Emergency telephone number

Emergency tel: +44 208 2360606

Office hours: 08.30 - 17:00 (UK)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Skin Corr. 1C: H314

Most important adverse effects: Causes severe skin burns and eye damage.

2.2. Label elements

Label elements:

UFI: J110-E062-M003-J8G9Hazard statements: H314: Causes severe skin burns and eye damage.Hazard pictograms: GHS05: Corrosion



 Signal words:
 Danger

 Precautionary statements:
 P403+P233: Store in a well-ventilated place. Keep container tightly closed.

 P235: Keep cool.

DAILY ASPIRATOR CLEANER & DISINFECTANT CONCENTRATE

P260: Do not breathe dust/fumes/gas/mist/vapours/spray. P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

DIMETHYLDIOCTYLAMMONIUM CHLORIDE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
226-901-0	5538-94-3	-	Acute Tox. 4: H302; Skin Corr. 1B: H314; Aquatic Acute 1: H400	1-10%

2-AMINOETHANOL

205-483-3	141-43-5	-	Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Skin Corr. 1B: H314	1-10%		
TETRASODIUM	TETRASODIUM ETHYLENE DIAMINE TETRAACETATE					

200-573-9	64-02-8	-	Acute Tox. 4: H302; Eye Dam. 1: H318	1-10%
ETHANOL				
200-578-6	64-17-5	Substance with a Community workplace exposure limit.	Flam. Liq. 2: H225	1-10%

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin.
	Drench the affected skin with running water for 10 minutes or longer if substance is still
	on skin. Transfer to hospital if there are burns or symptoms of poisoning.
Eye contact:	Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist
	examination.
Ingestion:	Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10
	minutes. If unconscious, check for breathing and apply artificial respiration if necessary.

Page: 2

DAILY ASPIRATOR CLEANER & DISINFECTANT CONCENTRATE

Page: 3

If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Corrosive. In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific

DAILY ASPIRATOR CLEANER & DISINFECTANT CONCENTRATE

Page: 4

substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

Respirable dust:

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): PC8: Biocidal products (e.g. Disinfectants, pest control).

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

2-AMINOETHANOL

Workplace exposure limits:

-	=		=	
State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	2.5 mg/m3	7.6 mg/m3	-	-

ETHANOL

5	UK	1920 mg/m3	-	-	-
---	----	------------	---	---	---

DNEL/PNEC Values

Hazardous ingredients:

ETHANOL

Туре	Exposure	Value	Population	Effect
DNEL	Dermal	343mg/kg	Workers	-
DNEL	Dermal	206mg/kg	Consumers	-

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. Respiratory protection: Not applicable. Hand protection: Protective gloves.

Eye protection: Safety glasses.

DAILY ASPIRATOR CLEANER & DISINFECTANT CONCENTRATE

Skin protection: Protective clothing.

Environmental: No special requirement.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Clear liquid

Odour: Ammoniacal

Relative density: 1.018 - 1.030

pH: 11.00 - 12.00

Page: 5

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Aluminium. Copper.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

DIMETHYLDIOCTYLAMMONIUM CHLORIDE

	ORAL	RAT	LD50	200 - 2000	mg/kg	
--	------	-----	------	------------	-------	--

DAILY ASPIRATOR CLEANER & DISINFECTANT CONCENTRATE

Page: 6

2-AMINOETHANOL

ORAL	MUS	LD50	700	mg/kg
ORAL	RAT	LD50	>2000	mg/kg

ETHANOL

DERMAL	RBT	LD50	>2000	mg/kg
ORAL	RAT	LD50	>2000	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

- Eye contact: Corneal burns may occur. May cause permanent damage.
 - **Ingestion:** Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.
 - **Inhalation:** There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

DIMETHYLDIOCTYLAMMONIUM CHLORIDE

BLUEGILL (Lepomis macrochirus)	48H EC50	0.55	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	0.35	mg/l

2-AMINOETHANOL

ALGAE	72H ErC50	2.5	mg/l
Daphnia magna	48H EC50	65	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

DAILY ASPIRATOR CLEANER & DISINFECTANT CONCENTRATE

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN1903

14.2. UN proper shipping name

Shipping name: DISINFECTANT, LIQUID, CORROSIVE, N.O.S.

(DIMETHYLDIOCTYLAMMONIUM CHLORIDE)

14.3. Transport hazard class(es)

Transport class: 8

14.4. Packing group

Packing group: |||

14.5. Environmental hazards

Environmentally hazardous: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 3

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

Marine pollutant: No

DAILY ASPIRATOR CLEANER & DISINFECTANT CONCENTRATE

15.2. Chemical Safety Assessment			
Chemical safety assessment:	A chemical safety assessment has not been carried out for the substance or the mixture		
	by the supplier.		
Section 16: Other information			
Other information			
Other information:	according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation		
	(EU) 2015/830		
	* indicates text in the SDS which has changed since the last revision.		
Phrases used in s.2 and s.3:	H225: Highly flammable liquid and vapour.		
	H302: Harmful if swallowed.		
	H312: Harmful in contact with skin.		
	H314: Causes severe skin burns and eye damage.		
	H318: Causes serious eye damage.		
	H332: Harmful if inhaled.		
	H400: Very toxic to aquatic life.		
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive		
	and shall be used only as a guide. This company shall not be held liable for any		
	damage resulting from handling or from contact with the above product.		
	damage resulting from handling or from contact with the above product.		